





Vests



ARMORUS



BALLISTIC VESTS



NGD –BV01SA

BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system Tweave comfort inner surface Emergency extraction drag strap
Multi-cummerbund system
Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.3	30 layers PE UD+6mmEVA	1.8	2.6
	0.32		1.9	2.7
	0.34		2.0	2.8
NIJ .44	0.3	35 layers PE UD+1 layer PC+ 6mmEVA	2.0	2.8
	0.32		2.1	2.9
	0.34		2.2	3.0



NGD-BV02SA

BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system Tweave comfort inner surface Emergency extraction drag strap
Multi-cummerbund system
Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.3	30 layers PE UD+6mmEVA	1.8	2.6
	0.32		1.9	2.7
	0.34		2.0	2.8
NIJ .44	0.3	35 layers PE UD+1 layer PC+ 6mmEVA	2.0	2.8
	0.32		2.1	2.9
	0.34		2.2	3.0



NGD –BV03SA

BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system Tweave comfort inner surface Emergency extraction drag strap
Multi-cummerbund system
Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.3	30 layers PE UD+6mmEVA	1.8	2.6
	0.32		1.9	2.7
	0.34		2.0	2.8
NIJ .44	0.3	35 layers PE UD+1 layer PC+ 6mmEVA	2.0	2.8
	0.32		2.1	2.9
	0.34		2.2	3.0



NGD –BV01FA

BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system Tweave comfort inner surface Emergency extraction drag strap
Multi-cummerbund system
Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.5	30 layers PE UD+6mmEVA	2.9	4.1
	0.53		3.1	4.3
	0.56		3.3	4.5
NIJ .44	0.5	35 layers PE UD+1 layer PC+ 6mmEVA	3.3	4.5
	0.53		3.5	4.7
	0.56		3.7	4.9



NGD-BV02FA

BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system Tweave comfort inner surface Emergency extraction drag strap
Multi-cummerbund system
Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.5	30 layers PE UD+6mmEVA	2.9	4.1
	0.53		3.1	4.3
	0.56		3.3	4.5
NIJ .44	0.5	35 layers PE UD+1 layer PC+ 6mmEVA	3.3	4.5
	0.53		3.5	4.7
	0.56		3.7	4.9



NGD –BV03FA

BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system Tweave comfort inner surface Emergency extraction drag strap
Multi-cummerbund system
Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.5	30 layers PE UD+6mmEVA	2.9	4.1
	0.53		3.1	4.3
	0.56		3.3	4.5
NIJ .44	0.5	35 layers PE UD+1 layer PC+ 6mmEVA	3.3	4.5
	0.53		3.5	4.7
	0.56		3.7	4.9



Ürün Açıklaması

Ürün Adı	Gizlenebilir Kurşun Geçirmez Yelek
Model	DK-BPV-007
Kurşun Geçirmez Malzeme	Dupont Kevlar or UHMWPE
Kurşun Geçirmez Seviye	NIJ IIIA
Kurşun Geçirmez Alan	0.3-0.45 m2(Özelleştirilmiş)
Renkler	Her renk seçeneği
Ağırlık	yaklaşık 3 kg
Dış Kaplama malzemesi	Polyester ,Naylon veya Cordura
Bedenler	Her türlü beden çalışması yapılabilir.
Logo	Müşteri logosu istenilen yere uygulama yapılabilir.

Product Description

Product Name	Concealable Bulletproof Vest
Model	DK-BPV-007
Bulletproof Material	Dupont Kevlar or UHMWPE
Bulletproof Level	NIJ IIIA
Bulletproof Area	0.3-0.45 m2(customized)
Color Any color	Any color available
Weight	About 3 kg
Outcover material	Polyester or Nylon or Cordura
Size	One size fits most, size can be customized
OEM Service	Design can be customized, can put customer Logo on the vest



Product Description

Product Name

White

Concealable

Vest

Model SNK-007

Bulletproof Material

Dupont Kevlar or

UHMWPE

Bulletproof Level

NIJ IIIA

Bulletproof Area

0.3-0.45 m²

(customized)

Color Any color

available

Weight About 3 kg

Outcover material

Polyester or Nylon or

Cordura

Size One size fits most,

size can be customized

OEM Service Design can be

customized can put customer Logo on the vest



Code: SNK-00-081



CERAMIC PLATE

- NIJ 0101.04 LEVEL IV
- .30 M2 AP 7,62x63 mm - .30 M2 AP 878+-9 m/s - Single shot
- NATO Ball M80 - 7,62x51 mm 847+-9 m/s - Multi Shots (max 3 shots)
- Size: 250x300 mm
- Weight: 2600+-50gr